

FDA Flexible Hose

RF-PVW Meets

- FDA CFR Title 21 170-189
- 3A Sanitary Standards
- NSF/ANSI STD 51
- ROHS
- USDA

RF-PVV Meets

- FDA CFR Title 21 170-189
- 3A Sanitary Standards
- USDA

RF-PVW Connections

- Stainless Steel or Non-Metallic Radially-Crimped Connections

PVC Applications

- Chemical Processing & Transfer
- Pharmaceutical Manufacture
- Food & Syrup Handling
- Beverage Transfer
- Dairy Processing
- Air & Gas Lines
- Pump Feed & Discharge
- Laboratory & Research
- Instrumentation
- General Water Suction & Discharge
- Irrigation Systems
- Vacuum Lines
- Hydraulics & Pneumatics
- Spray Systems
- Filters

RF-PVW - Wire Reinforced Hose



TUBE:

FDA PVC

COLOR:

Transparent

CONSTRUCTION:

Clear with steel wire helix wire reinforcement

TEMPERATURE:

25°F to 150°F
-4°C to 65°C

| Part Number | I.D. | O.D. | Working Pressure* | Bend Radius | Vacuum (In. Hg) |
|-------------|---------|------|-------------------|-------------|-----------------|
| 04RFPVW | 0.25 | 0.46 | 150 psi | 1.0" | Full |
| 06RFPVW | 0.38 | 0.60 | 100 psi | 1.5" | Full |
| 08RFPVW | 0.50 | 0.75 | 100 psi | 2.0" | Full |
| 10RFPVW | 0.63 | 0.89 | 50 psi | 2.5" | Full |
| 12RFPVW | 0.75 | 1.03 | 70 psi | 3.0" | Full |
| 16RFPVW | 1.00 | 1.30 | 100 psi | 4.0" | Full |
| 20RFPVW | ** 1.25 | 1.61 | 70 psi | 5.0" | Full |
| 24RFPVW | 1.50 | 1.86 | 50 psi | 6.0" | Full |
| 32RFPVW | 2.00 | 2.39 | 50 psi | 8.0" | Full |
| 36RFPVW | ** 2.25 | 2.75 | 50 psi | 9.0" | Full |
| 40RFPVW | 2.50 | 3.00 | 50 psi | 10.0" | Full |
| 48RFPVW | 3.00 | 3.50 | 50 psi | 12.0" | Full |

*at 70°F **bulk only - not available in assemblies

NOTE: Can be used for static dissipation when the metal wire is properly connected to ground through the fitting or other means.



136A www.minox.biz

Rubber Fab Technologies Group is a member of:

Rubber Fab

a Garlock Hygienic Technologies company



International Association of
Food Industry Suppliers

fisa
Distributors Serving
Sanitary Processing



©2002 Rubber Fab Technologies Group - rev. 2/04 - #RF-500-4